

中興大學
2012年08月22日



已訂購的索摘資料庫

AGRICOLA

農業資料庫(1970-)

Biological Sciences

生物科學資料庫(1971-)

Library and Information Science Abstracts (LISA)

圖書資訊學資料庫(1969-)

AGRICOLA 農業資料庫

資源名稱	AGRICOLA 農業資料庫
內容簡介	來自美國國家農業圖書館的農學研究單位之期刊、圖書、會議論文、專利、技術研究報告和視聽媒等資料之索引摘要, 提供完整的農業相關主題之資訊, 共收錄2千多種刊物。 主要內容來源為英語的索摘資料, 但是也包括1/3以上的資料來自西歐、亞洲及非洲語系。
資料類型	5百多萬條索引摘要記錄(2012.8)
更新頻率	月更新
收錄年代	1970-
學科範圍	涵蓋農業學、生物科技、動物科學、園藝、食品與營養和水文學等。

AGRICOLA 農業資料庫主題領域

Agriculture(general) 農業生產	Feed science 食品科學	Natural resources 天然資源
Agriculture products 農作物	Fertilizers 化肥	Pesticides 殺蟲劑
Animal sciences 動物科學	Fibers and textiles 纖維與紡織品	Physiology 生理學
Biotechnology 生物科技	Food and nutrition 食品與營養	Plant sciences 植物科學
Botany 植物學	Forestry 森林學	Pollution 污染
Chemistry 化學物對環境的破壞	History, agricultural 農業史	Public health 公共衛生
Conservation 對自然環境的保護	Horticulture 園藝學	Rural sociology 鄉村社會學
Cytology 細胞學	Human ecology 人類生態學	Soil sciences 土壤科學
Economics, agricultural 農業經濟學	Human nutrition 人類營養學	Veterinary medicine 獸醫醫學
Education, agricultural 農業教育學	Hydrology 水文學	Water quality 水質
Energy, agricultural 農業能量學	Hydroponics 水耕法	Weather and climate 氣候學
Engineering, agricultural 農業工程學	Information systems for agriculture 農業資訊系統	Wildlife 野生鳥獸學
Entomology 昆蟲學	Microbiology 微生物學	Zoology 動物學
Farm management 農場管理學	Natural history 自然史	

附送ProQuest深度索引|資料庫: Agriculture

ProQuest Deep Indexing:
Agriculture

- 超過 3 百 萬圖表記錄
- 收錄自 8百多 種期刊



圖 1。



圖 2。

Region	N deposition			S deposition			Lakes with intermediate pH value		
	Number	Percentage	Number	Percentage	Number	Percentage	Number	Percentage	
Northwest	1,000	10	0	0	0	0	1,000	10	
West	1,000	10	0	0	0	0	1,000	10	
Central	1,000	10	1	1	1	1	1,000	10	
Southwest	1,000	10	1	1	1	1	1,000	10	
South	1,000	10	1	1	1	1	1,000	10	
East	1,000	10	1	1	1	1	1,000	10	
North	1,000	10	1	1	1	1	1,000	10	
Total	10,000	100	10	10	10	10	10,000	100	

表 1。

Biological Science 生物科學資料庫

資源名稱	Biological Sciences Database [生物科學資料庫]
內容簡介	此資料庫包含 29 個子資料庫，收錄 6,000 餘種主要期刊以及專利、報紙、會議論文、書籍、報告等資料。由美國國家醫學圖書館製作之 MEDLINE、TOXLINE 資料庫、以及 Elsevier Science 公司的 Plant Science 資料庫和 Plexus 出版公司的 Biology Digest 資料庫亦涵括於此
資料類型	索引摘要
更新頻率	月更新
收錄年代	1982-
學科範圍	涵蓋生物學、植物學、動物學、微生物學、生物醫學、生物化學等重要主題，是跨學科領域之書目摘要資料。涵括多個子資料庫，並提供索引典及分類名詞。亦提供查詢MEDLINE、TOXLINE、BioOne A&I、Plant Science及Biology Digest等。

Biological Science 包括29個子庫

Algology Mycology and Protozoology Abstracts (Microbiology C)	Chemoreception Abstracts	Industrial and Applied Microbiology Abstracts (Microbiology A)
Animal Behavior Abstracts	COS Conference Papers Index	MEDLINE®
Aquatic Science & Fisheries Abstracts (ASFA) 1: Biological Sciences & Living Resources	Ecology Abstracts	Neurosciences Abstracts
Aquatic Science & Fisheries Abstracts (ASFA) Aquaculture Abstracts	Endocrinology Abstracts	Nucleic Acids Abstracts
Aquatic Science & Fisheries Abstracts (ASFA) Marine Biotechnology Abstracts	Entomology Abstracts	Oncogenes and Growth Factors Abstracts
Bacteriology Abstracts (Microbiology B)	Genetics Abstracts	ProQuest Deep Indexing: Biological Sciences
Biochemistry Abstracts 1	Health & Safety Science Abstracts	Plant Science
Biochemistry Abstracts 3	Human Genome Abstracts	Toxicology Abstracts
Biotechnology Research Abstracts	Immunology Abstracts	TOXLINE
Calcium & Calcified Tissue Abstracts		Virology and AIDS Abstracts

附送ProQuest深度索引資料庫: **Biological Sciences**

ProQuest Deep Indexing:
Biological Sciences

- 超過 6 百 萬圖表記錄
- 收錄自 8百多 種期刊




圖 1




圖 2




圖 3




圖 5




圖 6

Library and Information Science Abstracts

資源名稱	Library and Information Science Abstracts[圖書資訊學資料庫]
內容簡介	專為圖書館員和其他圖資訊專家設計的資料庫，提供全球圖書管理、資訊學、線上檢索、出版和資訊技術方面資訊。收錄68個國家20種語言的450多種期刊。約1/3的期刊來自英國，1/3來自美國，1/3來自其他國家包括：德國、日本、南非、法國、印度、中國等。
資料類型	36萬多條索引摘要
更新頻率	每雙週更新，每次新增500多條記錄
收錄年代	1969-
學科範圍	圖書館管理、館藏發展、編目與分類、圖書館技術、資訊檢索、數位圖書館、循證圖書館學、電子教學、知識管理、資訊素養、資訊自由、電子出版、電子政務、知識分類法和實用分類系統、語義網、學術傳播、公開取閱、數位資源保存等。

文摘與索引的價值在那裡？



跨學科提供最豐富的文獻
資訊 – 索摘資料庫更廣更
深更加全面

涵蓋國際與多語種 (提供
英文文摘)

索引標準應用了專業的內
容集 (例如控制詞彙) ,
便於檢索相關內容

索摘資料庫沒有內容發表
滯後

圖書館的資源利用 – 研究
人員可通過文摘/索引資
料庫發現館藏文獻和訂購
電子資料庫中文獻

適合研究人員的工作流
程



文摘/索引的價值: 有限的時間內快速瀏覽學科研究


- 出版的文章的每年呈指數級上漲
- “科研人員現在的閱讀量幾乎是30年前的2倍”
A1 Tenopir, Carol
A1 King, Donald W.
T1 Electronic Journals and Changes in Scholarly Article Seeking and Reading Patterns JF D-Lib Magazine
- 通常科學家的目標“不是查找一篇文章，而是通過瀏覽大量文章的部分內容，以探索、評估和利用一系列的資訊”
T1 Strategic Reading, Ontologies, and the Future of Scientific Publishing -- Renear and Palmer 325 (5942): 828 -- Science
VO 2009
IS 12/8/2009NO id: 1 ED <http://www.sciencemag.org/cgi/content/abstract/325/5942/828>

為什麼要索引交文獻中的圖形圖表圖像？

1. 科技文章中的圖像主要是描述研究領域工作、實驗發現或結論
2. 提煉出研究的核心內容 – 最接近原始資料的資訊
3. 提供正確圖像的文章可快速建立資料與發現的相關性
4. 通過傳統的文章級和全文檢索，通常無法獲得這些圖像資訊



Figure 1: Clinical images of typical juvenile dermatomyositis
(A) Heliotrope discoloration of the eyelids, and malar or facial erythema and (B) scaly, red rash on the knuckles with Gottron's papules.



深度索引|(Deep Indexing)圖表記錄

- 採用了名爲“深度索引”的技術，用於分類表格,地圖, 照片和其他圖表中出現的資料,變數和其他內容。通過進一步深入和明確索引與所有單獨表格和圖表相關的內容，Illustrata 可讓研究人員找出用傳統,文章級索引索引系統無法檢索到的資訊。
- 研究人員可更快地找出相關資料，因爲檢索結果的出色視覺效果，還可迅速決定是否要閱讀該來源文件。

深度索引: 索引過程

1. 鑒別學術文章中的圖表和圖示（圖像、圓形圖、地圖等）
2. 提取每個圖表或示圖中的或相關的關鍵資料和資訊（包括全部註釋），提供索引
3. 進行詳細分類




Figure 2

Caption: A schematic diagram showing the dimensions of the tensile and fatigue test specimens: (a) epoxy polymer, (b) GFRP composite.

Type: Schematic; Figure

Subject terms: Sheets; Specimens; Fatigue; Gfrp; Tensile Tests

From: The Tensile Fatigue Behavior of a Glass-fiber Reinforced Plastic Composite Using a Hybrid-toughened Epoxy Matrix

[Citation/Abstract](#) [find a copy:](#)

[View Record](#)
[Available in full size](#)


Figure 1. The tapping mode AFM phase images of the hybrid-epoxy polymer.

深度索引處理過程

獲取全文



提取



Extraction

peared there in the 1950s and 1960s and steadily increased over time (Rosenberg et al. 1990). The earliest reported signs of eutrophication were changes in the community composition of macroalgal species, and over time, filamentous algae typical of eutrophic conditions have become more prevalent. Harmful algal blooms in the water column have become much more common, particularly in the 1980s (Rosenberg et al. 1990). During the early stages of eutrophication in Laholm Bay, inputs of both P and N to the estuary were increasing. However, from the late 1960s through the 1980s, P inputs decreased by a factor of almost two as a result of stringent management. N inputs, which were not managed, continued to rise and almost doubled over time (Rosenberg et al. 1990). During this same period, plankton blooms continued, clearly indicating that N and not P controlled the Laholm Bay eutrophication.

These whole-system-scale experiments and observations demonstrate that N was the primary control on eutrophication in specific temperate zone estuaries (Narragansett Bay, Humberfjärden, and Laholm Bay). Importantly, however, the finding in each of these three systems is consistent with the conclusion drawn from short-term bioassay studies and from inference of the relative N and P availability based on ratios of dissolved inorganic N:P in these ecosystems (Crunkel et al. 1999; Oviatt et al. 1995; Elmgren and Larsson 1997). These ecosystem-scale studies therefore add credence to the application of bioassay data and inorganic nutrient data in assessing whether N or P is more limiting in estuaries (NRCC 2000). The large preponderance of bioassay data in estuaries and coastal marine systems indicates N limitation (Howarth 1988), as does the generally low inorganic N:P ratio found in many estuaries at the time of peak primary production. Thus, taken together, results from the whole-system-scale studies and bioassay data and N:P ratio data from many sites led to the conclusion that N availability is the primary

regulator of eutrophication in most temperate coastal systems (NRCC 2000). Another estuarine "field" experiment that supports conclusions drawn by the NRCC (2000) began in the early 1960s, this time the result of P-mining operations in the watershed of the Pamlico River estuary in North Carolina. The leakage of the amount of P into the estuary over a period of many years had no demonstrable effect on water quality, very strongly indicating that the system was not P limited (Sennedy 1993). This important result has never been published in the peer-reviewed literature, as far as we know, and unfortunately has attracted very little notice.


Understanding the mechanistic differences in limitation between lakes and estuaries.

In addition to the whole-system-scale experiments, the importance of N emerged during the 1990s, the NRCC (2000) report summarized the growing body of evidence for a mechanistic difference between the functioning of lakes and estuaries with regard to N versus P control. Whether primary production by phytoplankton is N or P limited is broadly framed in terms of the relative availabilities of N and P in the water compared to the stoichiometric need for average cell growth (the so-called Redfield ratio of 16:1). Nutrient availability in turn is determined by the ratio of external N:P in inputs to the ecosystem, preferential storage, recycling, or loss of N or P in the ecosystem, and the amount of biological N fixation (Howarth 1988; Vitousek and Howarth 1991). One critical difference between lakes and estuaries regards the importance of N fixation. In mesotrophic and eutrophic lakes, shortages of N relative to P tend to be made up through planktonic N fixation by cyanobacteria, and this is one of the mechanisms that lead to P regulation of primary production and eutrophication (Schindler 1977; Flatt et al. 1980). This N fixation response generally does not occur in estuaries with salinities > 10 to 12, even when they are strongly N limited (McCarthy 1980; Howarth et al. 1988b; Piest 1990). Controls on planktonic N fixation in estuaries are discussed in detail in the next section.

A second major difference between freshwater and coastal marine systems regards the nutrient inputs. Lakes receive nutrient inputs from upstream terrestrial ecosystems from the atmosphere, while estuaries and coastal marine systems receive nutrients from these sources as well as from adjacent waters. For estuaries such as those along the northeastern coast of the United States, the oceanic inputs tend to have an N:P ratio that is well below the Redfield ratio as a result of the denitrification on the continental shelves (Oviatt et al. 1995, 1996). Thus, given similar nutrient inputs from land, estuaries are more likely to have total nutrient loads with a lower N:P ratio than lakes, more strongly favoring N limitation (NRCC 2000). In addition, many urban centers are near the coast and thus often have a greater influence on nutrient loads to estuaries and coastal systems than to lakes. The N:P ratio in nutrient loads from urban areas tends to be quite low, further favoring

Extraction

圖形或圖表或圖像



示圖或圖表的註釋

Fig. 3. Time trend of nutrient enrichment into Laholm Bay in southwestern Sweden from 1950 until 1988. Phosphorus loads decreased after 1970 in response to management for eutrophication, while nitrogen loads, which were unregulated, continued to increase. Early evidence of eutrophication in the Bay appeared in the

針對圖或示圖表的句子

A fourth whole-ecosystem study explored long-term changes in Laholm Bay, an estuary on the southwestern coast of Sweden (Fig. 3). Early signs of eutrophication ap-




優點: 可供檢索的圖表和圖示



Image extracted from :

Different serological cross-reactivity of trypanosoma rangeli forms in trypanosoma cruzi-infected patients sera. 2008. Parasites & Vectors 1, : 20-20, <http://search.proquest.com/docview/300176755?accountid=130385> (accessed October 6, 2010).



影像分類: [Figure](#); [Photograph](#); [Photomicrograph - Ultrastructure](#)

影像名詞: Cardiac form, Chronic chagasic patient, Epimastigotes, Serological cross-reactivity

影像類別名詞: **Trypanosoma cruzi**, Trypanosoma rangeli


深度索引今此影像更容易被
查找

de Moraes, M. H., Guarneri, A. A., Girardi, F. P., Rodrigues, J. B., Eger, I., Tyler, K. M., et al. (2008).
Different serological cross-reactivity of Trypanosoma rangeli forms in Trypanosoma cruzi-infected patients
sera [Figure 1]. Parasites & Vectors, 1, 20-20.
Publisher:

影像題註: The use of trypomastigotes give better specificity than epimastigotes by IFA. Indirect immunofluorescence assay using [Trypanosoma cruzi](#) and [Trypanosoma rangeli](#) trypomastigote or epimastigote forms as antigens and serum (1:80) from a chronic chagasic patient with the cardiac form of the disease. Negative controls consist of epimastigotes and non-infected patient serum (1:40).



Start Here.





Proquest 全新平台 Search.proquest.com



- **ProQuest 及CSA資料庫整合於同一平台**，並提供強大的跨資源連結功能
- 個人化帳號—幫助研究人員組織資料
- 提供多元化的資源—如期刊文章、圖表資源等
- 貼心的檢索輔助功能—於檢索列自動提供建議關鍵字, 關鍵字拼字校正, 多面向的檢索結果分類

PQ新平台帶來全新的檢索體驗



單一檢索列

ProQuest及CSA產品整合於單一平台，檢索更便利

產品專屬頁面

提供產品專屬頁面，涵蓋更豐富的個別產品資訊



顯示所查詢資料庫之數量，
並可顯示目前正在查詢之資
料庫選單

ProQuest

進階檢索




檢索提示

檢索學科領域 清單檢視



Generalities



Humanities
Sciences




社會科學



Management
Sciences



Applied Sciences



Natural Sciences

瞭解所有新的 ProQuest 平台

- 檢索線上說明。
- 了解 檢索語法的變更 在新 ProQuest 中。
- 探索ProQuest 的產品支援中心的常見問題答案。
- 有不常見的問題？ 聯絡 我們的客戶支援小組。

選擇查詢之資料庫

Q 檢索: 18 個資料庫 ▾

0 檢索歷史 | 0 個選擇的項目 | 我的檢索 | 結束

基本檢索 目前選項 | 所有資料庫 | 前往資料庫詳細資料 > 依名稱檢視 | 依主題檢視

大學圖書館

ProQuest

檢索

瞭解
■ 檢索
■ 了解
■ 探索
■ 有不

☒ 全選

☒ ABI/INFORM Archive (1905 - 1985)

☒ ABI/INFORM Complete (1971 - 目前)

☒ ABI/INFORM Dateline (1985 - 目前)

☒ ABI/INFORM

☒ Accounting & Finance Abstracts (1971 - 目前)

☒ AGRICOLA (1970 - 目前)

☒ Banking Information Source (1971 - 目前)

☒ Biological Sciences (1971 - 目前)

☒ Algology Mycology and Protozoology Abstracts (Microbiology C) (1982 - 目前)

☒ Animal Behavior Abstracts (1982 - 目前)

☒ Aquatic Science & Fisheries Abstracts (ASFA) 1: Biological Sciences & Living Resources (1971 - 目前)

全文已包含

「全選」或重新勾選資料庫。

點選「使用選擇的資料庫」，進入檢索介面

使用選擇的資料庫 取消

檢索介面簡介

檢索: 18 個資料庫 ▾

0 檢索歷史 | 0 個選擇的項目 | 我的檢索 | 結束

基本檢索 | 進階 ▾ | 出版物 | 瀏覽

喜好設定 | 中文(繁體) ▾ | 說明 ?

國立中興大學圖書館

讀者可點此，切換檢索、進階、出版物介面

ProQuest

進階檢索



檢索提示


☐ 全文 ☐ 同儕評審 ⓘ

由單一檢索框，即可查詢所有ProQuest資料庫

檢索學科領域 清單檢視



Generalities



Humanities
Sciences



社會科學



Management
Sciences



Applied Sciences



Natural Sciences

瞭解所有新的 ProQuest 平台

- 檢索線上說明。
- 了解 檢索語法的變更 在新 ProQuest 平台。
- 探索ProQuest 的產品支援中心。
- 有不常見的問題？ 聯絡 我們的支援團隊。

可選清單方式或視覺化的資料庫主題提示，使讀者更容易掌握查詢的資料範圍

由學科領域進入個別資料庫

Q 檢索: 18 個資料庫 ▾

0 檢索歷史 | 0 個選擇的項目 | 我的檢索 | 結束

基本檢索 | 進階 ▾ | 出版物 | 瀏覽

喜好設定 | 中文(繁體) ▾ | 說明 ?

國立中興大學圖書館

ProQuest

進階檢索




檢索提示

☐ 全文 ☐ 同儕評審 ⓘ

檢索學科領域 清單檢視



Generalities



Humanities
Sciences



社會科學



Management



Applied Sciences



Natural Sciences



檢索 Natural Sciences >

資料庫

- AGRICOLA
- Banking Information Source
- Biological Sciences
- BioOne Abstracts & Indexes
- CBCA Business
- Heaver's Company Profiles

瞭解所有新的 ProQuest 平台

- 檢索線上說明。
- 了解 檢索語法的變更 在新 ProQuest 中。
- 探索 ProQuest 的產品支援中心的常見問題答案。
- 有不常見的問題? 聯絡 我們的客戶支援小組。

將游標停留在主題
上約 1 秒，系統即
提供該主題相關的
資料庫清單，可點
選資料庫，即可進
入該資料庫

[0 檢索歷史](#) | [0 個選擇的項目](#) | [我的檢索](#) | [結束](#)



[基本檢索](#) | [進階](#) ▼ | [圖與表格](#) | [關於](#)

進階檢

同儕

提供資料庫簡介，幫助讀者了解收錄內容重點

- 細菌學
- 生物工程
- 生物膜
- 生物科技

檢索系統自動填入關鍵字

檢索: 1 個資料庫 ▾

0 檢索歷史 | 0 個選擇的項目 | 我的檢索 | 結束

◀ 所有資料庫

喜好設定 | 中文(繁體) ▾ | 說明 ?

ProQuest

Biological Sciences

基本檢索 | 進階 ▾ | 圖與表格 | 關於

進階檢索

aquac

aquacel

aquacel ag

aquaculture

algae and aquaculture

aquaculture effects

aquaculture and trade

aquaculture in hawaii

aquaculture canada

aquaculture and gis

aquaculture studies

自動填入關鍵字

系統自動記錄使用過的關鍵字，讀者僅需鍵入幾個字母，系統將自動產生建議關鍵字，節省輸入關鍵字的時間

關閉自動完成

關閉

- 愛滋病
- 藻類學
- 氨基酸
- 動物行為
- 水產養殖
- 水域生物
- 細菌學
- 生物工程
- 生物膜
- 生物科技 (農業、醫療、環境、海洋)

- Algology Mycology and Protozoology Abstracts (Microbiology C)
- Animal Behavior Abstracts
- Aquatic Science & Fisheries Abstracts (ASFA) 1: Biological Sciences & Living Resources
- Aquatic Science & Fisheries Abstracts (ASFA) Aquaculture Abstracts
- Aquatic Science & Fisheries Abstracts (ASFA) Marine



想要瞭解更多資訊？

嘗試下列其中一個選項：

- 檢索線上說明。
- 了解 [檢索語法的變更](#) 在新 ProQuest 中。
- 探索 ProQuest 的產品支援中心常見問題的答案。
- 遇到不常見的問題？[聯絡](#)我們的客戶支援小組。

檢索提示

根據預設，我們會尋找具有所有已輸入術語的文件。

使用“引號”檢索確切片語。

使用 OR 分隔術語可尋找任一個已輸入的字詞。

國立中興大學圖書館

進階檢索

結合讀者最喜愛的
ProQuest及CSA平台的
進階檢索功能

更多專為個別資料庫
設計的欄位

系統針對不同資料庫
的特性，提供更多專
屬於個別資料庫的欄
位，方便讀者進一步
限定檢索結果

ProQuest Biological Sciences
基本檢索 | 進階 | 圖與表格 | 關於

進階檢索

以引文查找全文 | 命令列

索引與 | 欄位代碼 | 檢索提示

於 所有欄位 + 文字

AND () OR () 於 所有欄位 + 文字

AND () OR () 於 所有欄位 + 文字

新增一列 | 移除一列

檢索 清除表單

檢索選項

限制在:

日期範圍: 所有日期

來源類型:

- ☐ 全選
- ☐ 其他來源
- ☐ 政府及官方出版物
- ☐ 書籍
- ☐ 商業期刊
- ☐ 報告
- ☐ 報紙
- ☐ 會議報告與記錄

文件類型:

- ☐ 全選
- ☐ 一般資訊
- ☐ 小說
- ☐ 工作底稿/預行刊物
- ☐ 文章
- ☐ 文學評論
- ☐ 市場報告
- ☐ 市場調查

語言:

- ☐ 全選
- ☐ 土耳其文
- ☐ 中文
- ☐ 丹麥文
- ☐ 日文
- ☐ 世界文
- ☐ 加里西亞文
- ☐ 卡達路尼亞文

檢索學科領域

使用專為每個主題自訂的檢索表單。

- Generalities
- Humanities Sciences
- 社會科學
- Management Sciences
- Applied Sciences
- Natural Sciences

進階檢索- 命令列

🔍 檢索: 1 個資料庫 ▾

0 檢索歷史 | 0 個選擇的項目 | 👤 我的檢索 | 結束

◀ 所有資料庫

喜好設定 | 🌐 中文(繁體) ▾ | 說明 ?



Biological Sciences

基本檢索 | 進階 ▾ | 圖與表格 | 關於

命令列檢索

其他檢索選項: 進階檢索 | 以全文檢索

進階檢索
命令列
以引文查找全文

於「進階」下拉式選單中，點選「命令列」

在以下方塊中，使用命令列語法輸入檢索。例如，TI(nursing) and AU(smith)。

▼ 新增檢索欄位

Climate change AND TI("global warming") AND greenhouse AND asia

於此以欄位縮寫，如 TI 表示文章標題，及布林邏輯，建立檢索策略

- 索引典
- 尋找術語
- 欄位代碼
- 提示

檢索

清除表單

限制在:

◀ 同儕評審 ⓘ

進階檢索- 尋找引文

檢索: 1 個資料庫 ▾

0 檢索歷史 | 0 個選擇的項目 | 我的檢索 | 結束

◀ 所有資料庫

喜好設定 | 中文(繁體) ▾ | 說明 ?

ProQuest

Biological Sciences

基本檢索 | 進階 ▾ | 圖與表格 | 關於

以引文查找全文

其他檢索選項: 進階檢索 | 命令

進階檢索

命令列

以引文查找全文

於「進階」選單中
點選「以引文查找
全文」

填入下列任一項資訊，即可快速找到文件。

文件篇名:

作者:

尋找 作者

出版物名稱:

尋找 出版物

ISSN:

連字號的使用是選擇性的

ISBN:

連字號的使用是選擇性的

卷期:

期:

起始頁面:

日期範圍:

所有日期 ▾ 或 年 (yyyy)

檢索工具

檢索提示

若要擴大您的檢索範圍，請截斷（縮短）檢索術語並插入關閉的星號（*）。
例如，**physiol*** 會找到 **physiology** 和 **physiologist**。

如已取得文章之書目資料，可直接利用
「以引文查找全文」之介面，直接查詢。

檢索結果頁面

◀ 所有資料庫 | Natural Sciences 個資料庫

喜好設定 | 中文(繁體) | 說明 ?

ProQuest

Biological Sciences

基本檢索 | 進階 | 圖與表格 | 關聯性

water pollutiom

☐ 同儕評審

拼字校正

系統提供拼字自動校正功能，避免因輸入錯誤而產生0筆檢索結果

您檢索 *water pollutiom* 沒有結果。
以下是 *water pollution* 的建議結果。

287372 個結果 *

結果裡再檢索 | 搜尋相關的圖與表格

建立新知通報 | 建立 RSS 訂閱 | 儲存檢索

建議的主題 隱藏 ▲

Powered by ProQuest® Smart Search

Water supply | Water supply AND Drinking water | Water supply AND Water resources | Water supply AND Water
Water supply AND Water treatment | Water supply AND Water quality | Water supply AND Water pollution | Water

全部檢視 >

0 個選擇的項目 [清除]

儲存至 [我的檢索] | 電子郵件 | 列印 | 引用 | 匯出/儲存

☐ 選擇 1-50 簡單檢視 | 詳細檢視

☐ 1



[The Impact of Economic Development on Water Pollution: Trends and Policy Actions in Malaysia](#)

Muyibi, Suleyman A; Ambali, Abdul Raufu; Eissa, Garoot Suleiman. Water Resources Management 22. 4 (Apr 2008): 485-508.

...of development activities on water pollution in Malaysia. Hence
...trends of development-induced water pollution around the region
...due to technology employed in water pollution control and go

系統提供建議主題

標明關鍵字

檢索結果呈現部份內容，並標明關鍵字，方便讀者篩選檢索結果

精選內容: 索引的圖及表格 (11) 全部顯示



新知通報功能

◀ 所有資料庫 | Natural Sciences 個資料庫

喜好設定 | 中文(繁體) | 說明



Biological Sciences

基本檢索 | 進階 | 圖與表格 | 關於

water pollution

☐ 同儕評審

修改檢索 | 提示

您檢索 *water pollution* 沒有結果。
以下是 *water pollution* 的建議結果。

287372 個結果 *

結果裡再檢索 | 搜尋相關的圖與表格

建立新知通報 | 建立 RSS 訂閱 | 儲存檢索

建議的主題 隱藏

- Water supply
- Water supply AND Drinking water
- Water supply AND Water treatment
- Water supply

0 個選擇的項目 [清除]

☐ 選擇 1-50 簡單檢視 | 詳細檢視

☐ 1



[The Impact of Economic Development on Water Pollution in Malaysia](#)

Muyibi, Suleyman A; Ambali, Abdul Raufu; Eissa, Garoot Suleiman. *Water Resources Management* 22. 4 (Apr 2008): 485-508.

...of development activities on **water pollution** in Malaysia. Hence, the main
...trends of development-induced **water pollution** around the region of the country
...due to technology employed in **water pollution** control and governmental policy

精選內容: 索引的圖及表格 (11) 全部顯示



新知通報功能

讀者可於檢索結果中，設定新知通報 (alert)或RSS Feed，亦可儲存檢索

Powered by ProQuest® Smart Search

全部檢視 >

引用 | 匯出/儲存

關聯性

排序

縮小結果範圍

來源類型

學術期刊 (243884)

書籍 (23538)

檢索結果--摘要預覽功能

3



[Controlling water pollution \(based on a working paper prepared for the Second Regional Seminar on Environmental Pollution: Water Pollution, convened in March 1975 by the WHO Regional Office for the Western Pacific\).](#)

預覽

Controlling water pollution (based on a working paper prepared for the Second Regional Seminar on Environmental Pollution: **Water Pollution**, convened in March 1975 by the WHO Regional Office for the Western Pacific).

Helmer, R. WHO Chron. 29, 11 (1975): 428-434.

引文/摘要 Findit@NCHU

摘要 (摘要)

The problems involved in water pollution control and the measures provided by WHO for its Member States are discussed. Public health aspects of water pollution: (1) sources of pollutants (municipal wastewater, urban run-off, industrial wastewater, and agricultural wastewater); (2) problems related to different uses of water (water supplies, recreational uses, agricultural uses, fisheries and aquatic food production, the food industry, and water reuse); and (3) effects of water pollution (biological hazards such as viruses and pathogenic bacteria, and chemical pollutants). (B) Water quality criteria and standards. (C) Monitoring of water quality: (1) the need for monitoring and surveillance programmes; (2) WHO's activities in water quality monitoring; and (3) the WHO water quality monitoring programme. (D) Control action: (1) prevention and abatement technology; (2) the role of the health authorities; and (3) WHO's activities in water pollution control (preparation of guidelines, coastal water pollution control, and health aspects of water pollution control and management).

主題

Pollution monitoring;
Water pollution;
Pollution control;
Resource management;
International organizations;
Marine;
Freshwater

發現於:

Biological Sciences

儲存至 [我的檢索]

電子郵件

列印

引用

匯出/儲存

預覽提供文章連結
由彈出之Preview視窗
中，提供引文/摘要及中
興電子期刊系統連結

預覽工具列

預覽視窗下方提供Email,
引用及匯出等功能!

公司/組織

地點

人物

標籤

語言

資料庫

出版日期

1760 - 2012 (十年)



更新

輸入特定日期範圍

檢索結果分類功能

- 強大的檢索結果分類功能，由不同角度為讀者進行分類
- 讀者可輕易透過不同的分類來篩選檢索結果
- 視覺化呈現檢索結果分佈的年代，讀者可點選不同的年代，檢視相應之檢索結果

結果排序方式

關聯性

排序

縮小結果範圍方式

來源類型

- 反饋 (3318)
- 貿易期刊 (1892)
- 報紙 (1420)
- 學術期刊 (519)
- 雜誌 (423)
- 更多選項...

出版物名稱

文件類型

關鍵字

主題

分類

公司/組織

地點

人物

語言

資料庫

文件特徵

日期

1916 - 2011 (十年)

更新

輸入特定日期範圍

引文/摘要

◀ 返回至檢索結果頁

< 上一個 第 3 個文件, 共 287372 個 下一個 >

新增至選擇的項目

儲存至

分享檢索結果

讀者可將檢索結果之文章，在 Facebook, Twitter 等社群網站分享

SHARE

Controlling water pollution (based on a work
Second Regional Seminar on Environmental
convened in March 1975 by the WHO Regional

Helmer, R. WHO Chron 29. 11 (1975): 428-434.

摘要 (摘要) 翻譯

The problems involved in water pollution control and the types of technical assistance provided by WHO for its Member States are discussed under the following headings: (1) sources of water pollution and types of pollutants (municipal wastewater, and agricultural wastewater); (2) problem recreational uses, agricultural uses, fisheries and aquaculture; and (3) effects of water pollution (biological hazards, chemical pollutants). (B) Water quality criteria and standards; monitoring and surveillance programmes; (2) WHO's activities in water quality monitoring programme. (D) Control action role of the health authorities; and (3) WHO's activities in coastal water pollution control, and health aspects of water pollution.

參考文件連結及檢視相似文件

文章右方提供參考文獻連結，並提供更多類似文章，供讀者延伸參考

索引 (詳細資料) 引用

主題

Pollution monitoring;
Water pollution;
Pollution control;
Resource management;
International organizations;
Marine;
Freshwater

尋找副本

FindIt@NCHU

Check SFX for Availability

類似此項功能

檢視相似文件

1. A water quality monitoring network design methodology for the selection of critical sampling points: Part II
2. Multistage Hierarchical Optimization for Land Use Allocation to Control Nonpoint Source Water Pollution
3. Chemists discuss water resource management - 1. Chemistry of water pollution control: discovering the source and scope of chemical pollution.
4. Monitoring and resource management: Streams.

圖與表格查詢

檢索: 1 個資料庫

1 檢索歷史 | 0 個選擇的項目 | 我的檢索 | 結束

◀ 所有資料庫 | Natural Sciences 個資料庫

喜好設定 | 中文(繁體) | 說明

ProQuest

Biological Sciences

基本檢索 | 進階 | 圖與表格 | 關於

圖與表格檢索

其他檢索選項: 進階檢索 | 以引文查找全文 | 更多

圖與表格查詢

尋找期刊及其他文件中與檢索相關的圖與表格。

acid rain

於

關鍵欄位

關鍵欄位

題註 - CAP

圖/表格主題標題 (全部) - SU

地理術語 - LOC

統計術語 - STAT

分類術語 - TXTERM

描述子/主題 - ODE

圖/表格類型 - FIGT

更多選項

任何文件欄位 - ANY

作者 - AU

文件類型 - DTYPE

ISSN - ISSN

物件 DOI - ODOI

出版物名稱 - PUB

進階選項

要包含的圖/表格類型:

☒ 圖 (所有類型)

☒ 圖形

☒ 插圖

☒ 相片

☒ 地圖

☒ 傳輸/放射影像

☒ 其他的圖

☒ 表格

☒ 真值表

☒ 其他表

檢索

清除表單

檢視欄位代碼說明

使用代碼將您的檢索鎖定於特定欄位。

檢索提示

使用“引號”檢索確切片語。

限制在:

☐ 完整大小的影像

日期範圍:

所有日期

圖與表格查詢



Biological Sciences

基本檢索 | 進階 ▾ | 圖與表格 | 關於

acid rain



☒ 圖與表格

☒ 其他限制 - 完整大小的影像 [全部顯示 >](#)

[修改檢索](#) | [提示](#)

32 個圖與表格

[結果裡再檢索](#)

[建立新通知報](#) [建立 RSS 訂閱](#) [儲存檢索](#)

0 個選擇的項目

[儲存至 \[我的檢索\]](#) [電子郵件](#) [列印](#) [引用](#) [匯出/儲存 ▾](#)

☐ 選擇 1-32

☐ 1

[Division of traps and distribution of habitats of carnivorous plants](#)



寄件者:

[Quite a few reasons for calling carnivores 'the most wonderful plants in the world'](#)

[預覽](#)

Krol, Elzbieta; Plachno, Bartosz J; Adamec, Lubomir; Stolarz, Maria; Dziubinska, Halina; 等.


Annals of Botany 109. 1 (Jan 2012): 47-64.

類型: Table

[能以完整大小提供](#)

☐ 2

[Purification of inhibitory srRNAs. \(A\) Mono Q fractions of total RNAs from FM3A cells were analyzed by electrophoresis in a 1.5% agarose gel. In parallel, fractions A1, A2, ...](#)



寄件者:

[Inhibition of Human BK Polyomavirus Replication by Small Noncoding RNAs](#)

[預覽](#)

Tikhanovich, Irina; Liang, Bo; Seoighe, Cathal; Folk, William R; Nasheuer, Heinz

Peter. Journal of Virology 85. 14 (Jul 2011): 6930-6930.

類型: Gel; Figure

[能以完整大小提供](#)

結果排序方式:

關聯性

排序

縮小結果範圍

☐ 圖/表格類型

Figure (18)

Table (14)

Photograph (8)

Gel (2)

Map (2)

[更多選項...](#)

☐ 描述元/主題

☐ 地理術語

插圖影像 < 返回至檢索結果頁

第 1 個文件，共 32 個 下一個 >

☐ 新增至選擇的項目

 儲存至 [我的檢索]

 電子郵件

 列印

 引用

 儲存至簡報

 匯出/儲存 ▾

 標籤

 SHARE   

Quite a few reasons for calling carnivores 'the most wonderful plants in the world' [Table: 1]

Krol, Elzbieta; Plachno, Bartosz J; Adamec, Lubomir; Stolarz, Maria; Dziubinska, Halina; 等. *Annals of Botany* 109. 1 (Jan 2012): 47-64.  引用

< 檢視主要文章

其他格式

 引文

題註

Table: 1

Division of traps and distribution of habitats of carnivorous plants

下一個影像 >

影像 / 2 

48

Król et al. — *Carnivorous plants: a review*

gigantea and *D. regia*. For the reasons given above (i.e. high maintenance costs), some carnivorous plants are only carnivorous when favoured by environmental conditions, e.g. *Pinguicula* and pygmy *Drosera* spp. (Rice, 2007), or during periods of extended growth, when extra nutrient supply is needed (*Triphyophyllum peltatum*) (Brinmann *et al.* 2002). To

mountain slopes, dripping rocks, clayish sands, fire-impo-
verished soils and heavily leached areas (Juniper *et al.*, 1989). The distribution pattern points, however, to the predominant co-occurrence of carnivorous plants with both sunny and wet habitats (Table 1), where neither light nor water are limiting factors (Givnish *et al.* 1984; Braver *et al.* 2011).

文件 (418) 圖與表格 (2) 檢索 (1) 新知通報 (0) RSS 訂閱 (2) 標籤 (3) 共用清單 Widget 帳戶

資料夾: 所有文件 (418)

目前的資料夾: 所有文件

☒ 選擇項目 1-20

加入資料夾 在清單中共用 刪除 電子郵件 列印 引用 匯出/儲存

- ☒ 1

[Improving Diagnostic Accuracy Using an Evidence-Based Nursing Model](#)

Levin, Rona F; Lunney, Margaret; Krainovich-Miller, Barbara. **International Journal of Nursing Terminologies and Classifications**

參考文件 (38)

引文/摘要 全文

已儲存: 二月

刪除 加入資料夾

預覽
- ☒ 2

[The Role of the Clinician in the Management of the Patient with a Fractured Hip](#)

Henderson, Sharon. **Medical and Surgical Nursing**

引用者 (3) 參考文件 (3)

引文/摘要 全文

已儲存: 二月

刪除 加入資料夾
- ☒ 3

[The Nurse Practitioner's Role in the Management of the Patient with a Fractured Hip](#)

Anonymous. **The Windsor Star** [Windsor, Ont] May 8, 2008: F.4.

引文/摘要 全文 附註: 新增附註

已儲存: 二月 22 2012

刪除 加入資料夾
- ☒ 4

[Assessing psychological distress, physician-patient relationship, and ethnicity in bone marrow transplantation patients](#) [PDF]

預覽

個人化"我的檢索"功能

- 提供個人帳密
- 建立資料夾儲存不同檢索結果
- My Research sharing:可透過My Research於社群網站分享
- 與書目管理軟體RefWorks等結合
- 儲存新知通報, RSS通報等功能

排序方式:

已新增日期

排序

檢視

所有文件
不在資料夾中的文件

資料夾

管理資料夾
新增資料夾



有 RefWorks 帳戶了嗎?

只要按一下即可將之與 [我的檢索] 同步化並新增項目至 RefWorks。

您可以在註冊期間或之後任何時間連結帳戶與 [我的檢索]。當您要執行這個工作時, 請備妥您的 RefWorks 登入資訊。

深入了解

